ecosoft

TITANIUM GOLD ECOMIX® SOFTENERS

A high-flow capacity filter for treatment of challenging water at home. ECOMIX® C reduses hardness, iron, manganece, organic and amonium even with strong seasonal changes in water.



KEY FEATURES

- Made in Belgium with 100% US-made components
- Versatile modern Clack® CE control with multilingual menu (EN, DE, FR, UA)
- Increased salt capacity: up to 117 kg
- Smart overflow location saves installation space and protects against mechanical damage
- Resistant to seasonal changes in water


COMPONENTS

- Pre-adjusted Ecosoft-Clack CE
- Cabinet enclosure
- Pressure tank
- Brine well with safety float valve
- ECOMIX® C

ECOSOFT TITANIUM GOLD ECOMIX® SOFTENERS (ECOMIX® C)

Code	Desription	ECOMIX® C, L
FK1035CABCEMIXCOR	Titanium Gold ECOMIX® softener 250	25
FK1235CABCEMIXCOR	Titanium Gold ECOMIX® softener 370	37

ecosoft



TECHNICAL SPECIFICATION

Parameter	FK1035CABCEMIXCOR	FK1235CABCEMIXCOR
Operating flow rate, m ³ /h	1.0 / 1.2	1.4 / 1.8
Quantity of ECOMIX [®] , L	25	37
Volume capacity, m ³ 250 mg/L CaCO ₃ influent harness	3	4.5
Usage of salt per regeneration, kg	2.5-4.0	3.7-6.0
Usage of water per regeneration (discharge per regeneration), \ensuremath{m}^3	0.25	0.37
Duration of regeneration, minutes 80–110		-110
Pressure drop in service mode, bar	0.5	
Inlet pressure, bar	2-6	
Electrical requirements	230 V, 50 Hz	
Power consumption, W	30	
Inlet/outlet pipe connections	1″	
Dry weight, kg	30	42
Overall dimensions, (Width × Depth × Height), mm	350 × 520 × 1130	

INFLUENT WATER LIMITATIONS

Parameter	
Hardness	750 mg/L CaCO₃
Iron	15 mg/L
Manganese	3 mg/L
Chemical Oxygen Demand	20 mg/L O ₂
Ammonium	4 mg/L
Sediment prefilter rating	100 µm
Temperature of water	+4+30 °C