

ecosoft

AQUABOX 45 CS

FOR RESTAURANTS

The AQUABOX 45 CS has been engineered from high-quality materials by elegant lines that make it ideal for areas where design is important.

The dispenser is robust, reliable over time and meets the highest standards in terms of performance, reliability and product quality.



Freestanding



Tabletop

KEY FEATURES

- 2 types of water: cold and sparkling
- Chilling capacity — 45 liters per hour
- Freestanding or countertop model
- Ice bank chilling technology
- Customizing cold water temperature 4–12 °C
- Designed and manufactured in Italy using only the highest quality materials and technology



2 DIFFERENT
TYPES OF
WATER



FOR LARGE
DEMAND OF
WATER



ICE
BANK
SYSTEM



HYGIENIC
AND SAFE
MATERIAL



STOP TO
SINGLE-USE
PLASTIC

DESIGN


AQUABOX 45 CS water dispenser is characterised by a modern, compact and functional design. The glossy surfaces of the front part integrate perfectly with the satin-finish steel ones of the frame, giving the water dispenser an elegant and captivating design, easily adaptable to any environment: restaurant, office or waiting room. Thanks to their compact design, they are easy and versatile to place on the counter and are also available with a matching cabinet.

TECHNICAL FEATURES

Thanks to the water-chilling system with ice bank, the microchannel condenser and the technopolymer pump, AQUABOX 45 CS stands out thanks to its high performance and reliability, which allows fresh and sparkling water in large quantities, with low power consumption. The stainless still carbonator and the double cooling coil ensure high and continuous performance over time.

INSTALLATION

Installation is very simple: you only need to connect to the RO system and electricity supply and connect the CO₂ cylinder. No drain connection is required as this model is equipped with a drain tray.



Parameter	
Item No. – (pre-set dosage)	AQUABOX45/CS
Item No. – cabinet	AQUABOX45CAB
Type of installation	Over counter
Cooling capacity, l/h	45
Number of people (approx.)	50
Water tank capacity, l	6
Cooling control	Thermostat -2 °C to +7 °C
Recirculation pump/stirrer	Recirculation HC/2
Compressor power, W	1 / 6
Refrigerant	R 290
Carbonator capacity, l	0.6
Power supply	230 V – 50 / 60 HZ
Maximum power consumption, W	370
Pump type	200 l / h technopolymer paddles
Water pump motor, W	120
Ø water inlet pipe, Inches	8
Ø CO ₂ inlet pipe, Inches	6
Maximum CO ₂ inlet pressure, bar	4.5 max (recommended 3.3 bar)
Water inlet pressure (min./max.), bar	1.5 min / 3.5 max
Dimensions WD (WxDxH), mm	290 × 515 × 4 40
Dispensing area (H), mm	285
Weight kg (approx.)	23
Water selection point	Stainless steel illuminated buttons

The cooling capacity is calculated with $\Delta t = 10^{\circ}\text{C}$

ecosoft

AQUABOX 45 CS

BEST WITH ROBUST COFFEE



- pure water without any contaminants, with magnesium that can improve the taste of beverages
- balanced productivity that is enough to serve restaurant with up to 30 seats
- tasty water with minerals for drinking
- use Robust Coffee with an AQUABOX 45 and a coffee machine at the same time*
- easy launch, the same size of the pipe for connecting the ROBUST COFFEE to the dispenser



*Requires a tank 20 gal